

# HTTPJolie Command Reference

## Table of contents

---

General info .....	4
What is HTTPJolie™ .....	4
Installation .....	4
Setting options .....	5
Issuing HTTPJolie commands .....	5
Command format .....	6
Profile ID parameters .....	6
Notes and disclaimers .....	7
Command reference .....	7
Add .....	7
Aauto .....	7
Cast .....	7
Castpic .....	8
Clearfilters .....	8
Clearflags .....	8
Clearpending .....	9
Clonepid .....	9
Coverimages .....	9
Covers .....	9
Credits .....	9
Crew .....	10
Crewpic .....	10
Dbupdate .....	11
Downloadpending .....	11
Filter .....	11
Flag .....	11
Flagset .....	11
Getcredits .....	11
Getdata .....	11
Getinfo .....	12
Getxml .....	12
Html .....	12
Loadfilter .....	12
Loadflagset .....	13
Notify .....	13
Pidlist .....	13
Ping .....	14
Refresh .....	14
Removedvd .....	14
Run .....	14
Select .....	15
Setdata .....	15
Thumbimages .....	15
Thumbnails .....	15
Titles .....	16
Trigger .....	16
Triggermenu .....	16

Unflag .....	17
Unflagall .....	17
Update .....	17
Xml .....	17
Parameter defaults .....	19

## General info

---

HTTPJolie was created by Jim Richards (aka mediadogg) with some suggested enhancements by Gunnar Syrén.

This help file was created by Gunnar Syrén based on HTTPJolie's original documentation. Additions and corrections by Jim Richards.

HTTPJolie has been a collaborative effort in order to make DVD Profiler more versatile for its users. On [Gunnar Syrén's web page](#) there is a list of all his tools, and indications of which of them that can use (or in a few cases must use) HTTPJolie.

**This help file is based on HTTPJolie version 1.75.**

---

Created with the Personal Edition of HelpNDoc: [Make Documentation Review a Breeze with HelpNDoc's Advanced Project Analyzer](#)

---

## What is HTTPJolie™

HTTPJolie™ is a plugin for Invelos DVD Profiler™ . Its fundamental purpose is to provide a lightweight and user friendly way to access DVD profile information, using DVD Profiler™ as the host for an HTTP Server. The server responds to HTTP "GET" requests at a specific port address that can be set by the user. The GET requests must consist of one of the pre-defined supported functions of HTTPJolie™. One of those functions includes the ability to trigger menus and launch command files of DVD Profiler™ , hence in addition to the pre-defined functions, users can in fact create custom functionality.

HTTP GET requests can be typed into the URL input field of any web browser such as Safari, Chrome, Internet Explorer, FireFox, Edge or Silk. Responses to the GET requests are sent back to the originating browser (or originating program), anywhere on the user's network - desktop or mobile. Images are rendered as text strings internal to the browser.

HTTP GET requests can also be generated from any computer programming language and transmitted to the IP address and port of the computer where DVD Profiler™ with the HTTPJolie™ plugin installed, is running.

Users of plugin HTTPJolie™ must be registered DVD Profiler™ users, and also be registered on the website [www.invelos.com](http://www.invelos.com) where support for the plugin is provided at the "Plugins" thread.

Multiple instances of HTTPJolie are supported, each with separate IP/port running on its own corresponding instance of DVD profiler. It is possible to have separate server for long running xml jobs, or for separate databases, or any other reason.

---

Created with the Personal Edition of HelpNDoc: [Keep Your PDFs Safe from Unauthorized Access with These Security Measures](#)

---


## Installation

The plugin [is available here](#) and is free for individual use. Commercial use must be either approved by the author. This approval is also implicit in grateful appreciation for Tips or above a designated level.

After downloading and un-zipping , the installation EXE file should be executed. Follow the prompts. During this process, DVD Profiler cannot be running, and after successful plugin installation, DVD Profiler must be run thereafter in Administrator (elevated) mode whenever HTTPJolie™ is to be used. It is possible to run in non-elevated mode, however HTTPJolie™ will not connect.

## Setting options

The only user interface for the plugin can be found at Tools > View Plugins > HTTPJolie > Options. This is where the HTTP server port can be set. Also there is a tool provided for generating the “hashed” version of a name variant for profile credit searches.



The default server port is 41395. Internally, the UDP broadcast port is set to 10 + server port, so the default would be 41405. You may change the port setting to any port compatible with your PC configuration. During server startup, an attempt is made to add your port setting to your Firewall. If it fails, you will see a message, but there should be no serious consequences other than possibly not being able to send commands from everywhere in your home network.

Name variants are the possible ways that an actor’s name can be spelled within the credits of a movie. In order to get all the credits associated with a particular cast or crew member, it is often necessary to search for credits using more than one name variant (or alias). To make it feasible to enter multiple name variants in the command line of a browser, the “&getcredits” command has an option to search using a string of hashed names, separated by commas. The hash is the same one used by DVD Profiler to name custom headshots on your PC hard drive. The rules are detailed in the command specification. A simple example would be:

first middle last → last\_first\_middle

## Issuing HTTPJolie commands

HTTP GET requests can be typed into the URL input field of any web browser such as Safari, Chrome, Internet Explorer, FireFox, Edge or Silk. Responses to the GET requests are sent back to the

originating browser (or originating program), anywhere on the user's network - desktop or mobile. Images are rendered as text strings internal to the browser.

HTTP GET requests can also be generated from any computer programming language and transmitted to the IP address and port of the computer where DVD Profiler™ with the HTTPJolie™ plugin installed, is running.

---

Created with the Personal Edition of HelpNDoc: [Streamline Your Documentation Process with HelpNDoc's Project Analyzer](#)

---

## Command format

Commands are formatted as HTML parameters;  
?cmd="[command name]&[parameter]=[value]"...

For example:

?cmd="refresh"

?cmd="cast"&pid="1234657890"

?cmd="crew"&pid="1234567890"&online="true"

---

Created with the Personal Edition of HelpNDoc: [Free help authoring environment](#)

---

## Profile ID parameters

Profile ID can be specified in two different ways:

&pid

- or -

&upc + &locality

If locality is other than United States, pid must include LocalityID. So if we have a Swedish profile with upc 7333018013063 pid would be 7333018013063.11.

So it would be either

**&pid="7333018013063.11"**

- or -

**&upc="7333018013063"&locality="sweden"**

If **&upc** is specified with locality suffix, e.g. **&upc="7333018013063.11"**, it will be treated the same as **&pid="7333018013063.11"**

When locality suffix is specified, any **&locality** parameter is ignored.

**&locality** can be abbreviated to **&loc**

Where appropriate you can also specify a profile by Disc ID. The Disc ID should start with "I" (upper case i) and include locality id.

For example: **&discID="I0C4849CB8B15E6A6.11"**

**&pid="selected"** and **&pid="current"** can be specified to indicate the currently selected profile in DVD Profiler.

**NOTE:** For simplicity the command reference will only mention **&pid** but the other two identification methods can also be used.

---

Created with the Personal Edition of HelpNDoc: [Revolutionize Your Documentation Review with HelpNDoc's Project Analyzer](#)

---

## Notes and disclaimers

- DVD Profiler™ **must** be run in administrator mode for HTTPJolie™ to connect in HTTP mode to a web-browser client
- DVD Profiler **should not** be run in administrator mode to connect in TCP mode to another program.
- The HTTPJolie™ port cannot be used for any other purpose on a given machine (IP address)
- UDP messages are not guaranteed (broadcast as connectionless messages)
- udpWatcher™ is a non-supported sample application. Bugs will be fixed, however it will not be developed further by this author
- HTTPJolie™ can be used to support commercial desktop or mobile apps, only if visible credit is given, and downloaded at the “Commercial” level, or with explicit approval by this author
- A local headshot should respond with the custom image, but it does not (Invelos™ bug)
- Due to DVD Profiler internals, the options for “titles” list work differently for online vs local
- A Name Variants Hash Tag Generator has been put into the HTTPJolie™ Options Panel. This hash tag needs to be used to identify variants for credits search
- For the command “html”, the sending browser or program will need to display the resulting text using UTF-8 encoding
- For technical reasons, custom media types cannot be discovered unless they have actually been used in a profile. Profiles are scanned in the background from time to time in order to generate the list. If you create a custom media type, the list will not reflect it until a few minutes after it has been used for the first time.

Created with the Personal Edition of HelpNDoc: [Maximize Your Documentation Capabilities with HelpNDoc's Project Analyzer](#)

## Command reference

Created with the Personal Edition of HelpNDoc: [Protect Your Confidential PDFs with These Simple Security Measures](#)

### Add

Add a profile to collection.

&pid	Profile ID
&edit	true   <b>false</b> . Edit profile after add.

Examples:

?cmd="add"&pid="043396111592.3"

?cmd="add"&upc="043396111592"&locality="canada"

Created with the Personal Edition of HelpNDoc: [Upgrade your help files and your workflow with HelpNDoc's WinHelp HLP to CHM conversion](#)

### Avauto

Send automation commands. See mediadogg's a/v Automation Users Guide.

Created with the Personal Edition of HelpNDoc: [Transform Your Word Doc into a Professional-Quality eBook with HelpNDoc](#)

### Cast

Get profile cast xml.

&pid	Profile id
&online	true   <b>false</b> . Get from the Invelos online database. Alias &ol

Example: ?cmd="cast"&pid="012569828438"

Created with the Personal Edition of HelpNDoc: [Revolutionize Your Documentation Output with a Help Authoring Tool](#)

## Castpic

Get cast headshot.

&pid	Profile ID
&online	true   <b>false</b> . Get from the Invelos online database. Alias &ol
&firstname	First name. Alias: &fn
&middleame	Middle name Alias: &mn
&lastname	Last name. Alias: &ln
&folder	Folder path for download. If omitted, the cast pic will be downloaded to the users <i>Pictures</i> folder.
&creditphoto	<b>main</b>   database   profile. Specifies which photo to retrieve.
&birthyear	Birth year. Alias &by
&useby	<b>true</b>   false

Examples:

?cmd="castpic"&fn="charlize"&lastname="theron" // main database photo (can be different for cast vs crew for same name)

?cmd="castpic"&fn="charlize"&lastname="theron"&creditphoto="database" // custom database photo (undocumented by Invelos)

?cmd="castpic"&fn="charlize"&lastname="theron"&pid="032429297457"&creditphoto="profile" // custom profile photo

Created with the Personal Edition of HelpNDoc: [Maximize Your Productivity with HelpNDoc's Efficient User Interface](#)

## Clearfilters

Clears all filters

Example: ?cmd="clearfilters"

Created with the Personal Edition of HelpNDoc: [Easy EBook and documentation generator](#)

## Clearflags

Clears all flags

Example: ?cmd = "clearflags"



Created with the Personal Edition of HelpNDoc: [Converting Word Docs to eBooks Made Easy with HelpNDoc](#)

## Clearpending

Clears pending downloads.

Example: ?cmd="clearpending"

Created with the Personal Edition of HelpNDoc: [Free help authoring tool](#)

## Clonepid

Create a new pid and keep the old one.

&pid	Value of the new profile
&data	What the value of the specified item will be changed to. Alias &dbdata

Example: ?cmd="clonepid"&pid="current"&data="{new profile id}"

Created with the Personal Edition of HelpNDoc: [Upgrade your help files and your workflow with HelpNDoc's WinHelp HLP to CHM conversion](#)

## Coverimages

See [Covers](#)

Created with the Personal Edition of HelpNDoc: [Maximize Your Documentation Capabilities with HelpNDoc's User-Friendly UI](#)

## Covers

Get cover images. Alias: &coverimages.

&pid	Profile id
&online	true   <b>false</b> . Get from the Invelos online database. Alias &ol
&folder	Folder path for download. If omitted, the cast pic will be downloaded to the users <i>Pictures</i> folder.

Example: ?cmd="covers"&pid="012569828438"

Created with the Personal Edition of HelpNDoc: [Free EBook and documentation generator](#)

## Credits

Get credits for cast or crew. Result is in XML format.

&pid	Profile ID
&file	Folder path for download.
&online	true   <b>false</b> . Get the data from Invelos online database. Alias: &ol
&firstname	First name. Alias &fn
&middleame	Middle name. Alias &mn
&lastname	Last name. Alias &ln

&reversefn	true   <b>false</b> . Add reversed last/first name as a variant in the search. Alias &reverse
&birthyear	Default 0. Birth year. Alias &by
&useby	<b>true</b>   false. Use birth year.

Examples;

?cmd="credits"&fn="clint"&ln="eastwood"&pid="012569645714.19"

?cmd="credits"&pid="012569645714.19"&variants="zhang\_ziyi\_, ziyi\_zhang\_"&online="true"

Created with the Personal Edition of HelpNDoc: [Full-featured Kindle eBooks generator](#)

## Crew

Get profile crew xml.

&pid	Profile id
&online	true   <b>false</b> . Get from the Invelos online database. Alias &ol

Example: ?cmd="crew"&pid="012569828438"

Created with the Personal Edition of HelpNDoc: [Make Documentation a Breeze with HelpNDoc's Clean and Efficient User Interface](#)

## Crewpic

Get crew headshot.

&pid	Profile ID
&online	true   <b>false</b> . Get from the Invelos online database. Alias &ol
&firstname	First name. Alias: &fn
&middlename	Middle name Alias: &mn
&lastname	Last name. Alias: &ln
&folder	Folder path for download. If omitted, the cast pic will be downloaded to the users <i>Pictures</i> folder.
&creditphoto	Specifies which photo to retrieve. If left out gets the main database photo.
&birthyear	Default 0. Birth year. Alias &by
&useby	<b>true</b>   false

Examples:

?cmd="crewpic"&fn="charlize"&lastname="theron" // main database photo (can be different for cast vs crew for same name)

?cmd="crewpic"&fn="charlize"&lastname="theron"&creditphoto="database" // custom database photo (undocumented by Invelos)

?cmd="crewpic"&fn="charlize"&lastname="theron"&pid="032429297457"&creditphoto="profile" // custom profile photo

Created with the Personal Edition of HelpNDoc: [Save time and frustration with HelpNDoc's WinHelp HLP to CHM conversion feature](#)

## Dbupdate

See [Setdata](#)

---

Created with the Personal Edition of HelpNDoc: [Effortlessly create a professional-quality documentation website with HelpNDoc](#)

---

## Downloadpending

Downloads pending downloads.

Example: ?cmd="downloadpending"

---

Created with the Personal Edition of HelpNDoc: [Generate Kindle eBooks with ease](#)

---

## Filter

Load a filter file. Alias: &loadfilter.

<b>&amp;file</b>	Name of file to load
------------------	----------------------

Example: ?cmd="filter"&file="c:\users\me\Documents\DVD Profiler\Filters\myfilter.flt"

---

Created with the Personal Edition of HelpNDoc: [Don't Let Unauthorized Users View Your PDFs: Learn How to Set Passwords](#)

---

## Flag

Flag a profile.

<b>&amp;pid</b>	Profile id
-----------------	------------

Example: ?cmd="flag"&pid="012569828438"

---

Created with the Personal Edition of HelpNDoc: [iPhone web sites made easy](#)

---

## Flagset

Load a filter file. Alias: &loadflagset.

<b>&amp;file</b>	Name of file to load
------------------	----------------------

Example: ?cmd="flagset"&file="c:\users\me\Documents\DVD Profiler\Filters\myflags.lst"

---

Created with the Personal Edition of HelpNDoc: [Make Documentation Review a Breeze with HelpNDoc's Advanced Project Analyzer](#)

---

## Getcredits

See [Credits](#)

---

Created with the Personal Edition of HelpNDoc: [Easy Qt Help documentation editor](#)

---

## Getdata

Request a specific database item

<b>&amp;item</b>	customgenres   retailers   users   customcollections   custommedia   localities   countries   notes
------------------	---

	overview
--	----------

Example: ?cmd="getdata"&item="users"

Created with the Personal Edition of HelpNDoc: [Maximize Your Productivity with a Help Authoring Tool](#)

## Getinfo

Request status information.

&item	selected   database   (dpvars   headervars)   discid   win10discid   profilerversion   profilerbuild
&drive	Optical drive root. Default is default optical drive.

Example: ?cmd="getdata"&status="selected"

Created with the Personal Edition of HelpNDoc: [Maximize Your Documentation Output with HelpNDoc's Advanced Project Analyzer](#)

## Getxml

See [Xml](#)

Created with the Personal Edition of HelpNDoc: [Free EBook and documentation generator](#)

## Html

Render HTML section.

&view	list   cached{n}. {n} is the position in the list of HTML sections cached in AppData.
-------	---

Examples:

?cmd="html"&view="list"

?cmd="html"&view="cached2"

Note:

HTML sections are cached in the user's AppData folder when they have been displayed at least once . The "list" option displays a list of the cached html files found in the c:\users\username\appdata\dvd profiler\temp\design folder. There are several folders under that folder with some kind of hashed name that corresponds to the HTML section. This author has not been able to decode the hash. Each folder has a file named "index.html" which is the fully rendered HTML section with all DPVARs resolved. When "cached1", "cached2", ... is supplied as the view parameter, HTMLJoile reads the index.html corresponding to the list index, converts all local images to encoded byte strings, and responds to the GET request with the HTML contents. The calling browser or program then processes the contents as desired (such as simply displaying it.)

**NOTE:** Coding for this command is incomplete. Contact mediadogg on Invelos forum if you need it completed.

Created with the Personal Edition of HelpNDoc: [Easily create PDF Help documents](#)

## Loadfilter

See [Filter](#)

Created with the Personal Edition of HelpNDoc: [Maximize Your CHM Help File Capabilities with HelpNDoc](#)

## Loadflagset

See [Flagset](#)

Created with the Personal Edition of HelpNDoc: [Easily Add Encryption and Password Protection to Your PDFs](#)

## Notify

Broadcast events over UDP.

&udpon	true   <b>false</b> .
--------	-----------------------

Example: ?cmd="notify"&udpon="true"

Certain events are always broadcast, such as DVD Selected, DVD Flagged and DVD Unflagged.

When &udpon="true" is selected, some bulk operations are consolidated into a "start" message and an "end" message.

Created with the Personal Edition of HelpNDoc: [Easily create CHM Help documents](#)

## Pidlist

Get a list of profile IDs for a collection.

**Get list for a full local collection.**

&collection	Collection name; displayed   flagged   manual   ordered   owned   all.
&file	Full filename for download. If not specified then the result will not be downloaded as a file.

Examples:

- ?cmd="pidlist"&col="owned"&sync="now" ("now" is default)
- ?cmd="pidlist"&col="ordered"&file="c:\users\jimmy\documents\ordered\_dvs.xml"

**Get list from titles search (&col="titles").**

&collection	titles
&online	true   <b>false</b> . Get the data from Invelos online database. Alias: &ol
&file	Full filename for download. If not specified then the result will not be downloaded as a file.
&dvd	<b>true</b>   false. Include DVD, Online only.
&bluray	<b>true</b>   false. Include Blu-ray, Online only.
&hddvd	<b>true</b>   false. Include HDDVD, Online only.
&search	Title to search for.
&within	true   <b>false</b> . Search within the title.
&ignorecase	<b>true</b>   false. Ignore case. Alias &ignore.
&original	true   <b>false</b> . Search original title. Local only.
&sorttitle	true   <b>false</b> . Search sort title title. Local only.
&edition	true   <b>false</b> . Search edition. Local only.

Examples:

- ?cmd="pidlist"&search="Goldfinger"&col="titles"
- ?cmd="pidlist"&search="Goldfinger"&col="titles"&ol="true"
- ?cmd="pidlist"&search="Goldfinger"&col="titles"&ol="true"&ignore="false"
- ?cmd="pidlist"&search="Goldfinger"&col="titles"&ol="true"&loc="all"

Created with the Personal Edition of HelpNDoc: [Elevate Your Documentation Process with HelpNDoc's Advanced Features](#)

## Ping

Send server info to the requesting client.

Example: ?cmd="ping"

Created with the Personal Edition of HelpNDoc: [Effortlessly create a professional-quality documentation website with HelpNDoc](#)

## Refresh

Tries to update the Online Profile List from Invelos.

ctrlkey	true   <b>false</b> (see note below)
---------	--------------------------------------

Example: ?cmd="refresh"

Note: If the normal incremental update of the Online Profile List is not working, setting &ctrlkey="true" will force a download of the complete Online Profile List.

Created with the Personal Edition of HelpNDoc: [Make Help Documentation a Breeze with a Help Authoring Tool](#)

## Removedvd

Remove DVD from collection.

For security, this command has to be issued twice.

First:

&pid	Profile ID
&deletecovers	true   <b>false</b> .

Second:

&pid	Profile ID
&twofcode	code sent as reply to the first call

Example:

?cmd="removedvd"&pid="012569828438"&deletecovers="true"

?cmd="removedvd"&pid="012569828438"&twofcode="[response from call 1]"

Created with the Personal Edition of HelpNDoc: [Effortlessly Create High-Quality Documentation with a Help Authoring Tool](#)

## Run

Run a command file.

&file	Name of command file to run.
-------	------------------------------

Example: ?cmd="filter"&file="c:\users\me\Documents\DVD Profiler\Filters\mycommands.txt"

Created with the Personal Edition of HelpNDoc: [Generate Kindle eBooks with ease](#)

## Select

Select a profile

&pid	Profile id
------	------------

Example: ?cmd="select"&pid="012569828438"

Created with the Personal Edition of HelpNDoc: [Effortlessly Create High-Quality Help Documentation with a Help Authoring Tool](#)

## Setdata

Update or create a specific database item. Aliases &update, &dbupdate.

&pid	Profile ID
&item	pid   runningtime   productionyear   notes   overview   location   slot   title   sorttitle   originaltitle   cast   crew   castandcrew   clearcast   clearcrew
&data	what the value of the specified item will be changed to. For Notes and Overview, the data will be appended. Alias &dbdata
&keepoldprofileid	<b>true</b>   false.
&file	for notes and Overview updates, if specified the content of the file will <b>overwrite</b> the existing contents

Example: ?cmd="setdata"&item="pid"&pid="current"&data="{new profile id}"

**&pid="alternate"** will create an alternate ID, if possible.

Created with the Personal Edition of HelpNDoc: [Revolutionize Your Documentation Output with HelpNDoc's Stunning User Interface](#)

## Thumbimages

See [Thumbnails](#)

Created with the Personal Edition of HelpNDoc: [Make Documentation Review a Breeze with HelpNDoc's Advanced Project Analyzer](#)

## Thumbnails

Get thumbnail images. Alias: &thumbimages

&pid	Profile id
&online	true   <b>false</b> . Get from the Invelos online database. Alias &ol
&folder	Folder path for download. If omitted, the cast pic will be downloaded to the users <i>Pictures</i> folder.

Example: ?cmd="thumbnails"&pid="012569828438"

## Titles

Title search, local or online.

When sent to HTTPJolie using the HTTP port, results from the "titles" command are returned as a CSV string encapsulated in HTML.

When sent to HTTPJolie using its TCP port, results are returned as an object class serialized within a JSON wrapper. The parameters `&toexcel`, `&csvdelim` and `&hasheader` are not used in this mode, and will be ignored if supplied. More details can be found in the HTTPJolie Usage Guide.

<code>&amp;online</code>	<code>true</code>   <b>false</b> . Search Invelos online database rather than your local. Alias <code>&amp;ol</code>
<code>&amp;file</code>	Full filename for download. Result is in Json format.
<code>&amp;dvd</code>	<code>true</code>   <code>false</code> . Include DVD. Online only.
<code>&amp;bluray</code>	<code>true</code>   <code>false</code> . Include Blu-ray. Online only.
<code>&amp;hddvd</code>	<code>true</code>   <code>false</code> . Include HDDVD. Online only.
<code>&amp;search</code>	Title to search for
<code>&amp;within</code>	<code>true</code>   <b>false</b> . Search within the title.
<code>&amp;ignore case</code>	<code>true</code>   <code>false</code> . Ignore case.
<code>&amp;original</code>	<code>true</code>   <b>false</b> . Search original title. Local only.
<code>&amp;edition</code>	<code>true</code>   <b>false</b> . Search edition. Local only.
<code>&amp;csvdelim</code>	Delimiter for CSV output, Default is comma.
<code>&amp;hasheader</code>	<code>true</code>   <code>false</code> . Header row added to CSV output
<code>&amp;toexcel</code>	<code>true</code>   <code>false</code> . Add single quote to numeric fields to force formatting as text in CSV output.
<code>&amp;nomedia</code>	<code>true</code>   <b>false</b> . Do not return media type. Executes notably faster. Alias <code>&amp;fastsearch</code>

Examples:

```
?cmd="titles"&search="star wars"&within="true"&edition="true"&sorttitle="true"
```

```
?cmd="titles"&search="star wars"&online="true"
```

## Trigger

See [Triggermenu](#).

## Triggermenu

Trigger DVD Profiler's menu. Alias `&trigger`



&form	<b>main</b>   options   personalize   reports   welcome
&menu	mainform   <b>collection</b>
&menupath	Alias &mp
&menuitem	Alias &mi

Examples:

?cmd="trigger"&form="main"&menu="mainform"&menupath="tools\bulkedit"&menuitem="spreadsheet edit profile data"

?cmd="trigger"&form="main"&menu="mainform"&menupath="tools"&menuitem="edit users..."

?cmd="trigger"&form="main"&menu="mainform"&menupath="view\theme"&menuitem="olive"

?cmd="trigger"&form="main"&menu="mainform"&menupath="online"&menuitem="view trailers..."

Created with the Personal Edition of HelpNDoc: [Maximize Your Productivity with HelpNDoc's CHM Help File Creation Features](#)

## Unflag

Unflag a profile.

&pid	Profile id
------	------------

Example: ?cmd="unflag"&pid="012569828438"

Created with the Personal Edition of HelpNDoc: [Effortlessly Support Your Windows Applications with HelpNDoc's CHM Generation](#)

## Unflagall

See [Clearflags](#)

Created with the Personal Edition of HelpNDoc: [Maximize Your Documentation Capabilities with HelpNDoc's User-Friendly UI](#)

## Update

See [Setdata](#)

Created with the Personal Edition of HelpNDoc: [Say Goodbye to Documentation Headaches with a Help Authoring Tool](#)

## Xml

**Get XML for a full local collection.** Alias &getxml

&collection	Collection name; displayed   flagged   manual   ordered   owned   all   [custom collection name]. Alias &col
&sync	<b>now</b>   later. If later is specified (asynchronous), udp messages are sent out for each 5% done until complete.
&includepersonal	<b>true</b>   false. Include personal data. Alias &pers
&file	Full filename for download. If not specified then the result will not be downloaded as a file.
&raw	true   <b>false</b> . Suppress HTML encapsulation. Default is <i>false</i> .

Examples:

- ?cmd="xml"&col="owned"&sync="now" ("now" is default)
- ?cmd="xml"&col="ordered"&file="c:\users\jimmy\documents\ordered\_dvs.xml"

**Get XML for a single profile, based on Profile ID. Alias &getxml**

&pid	Profile ID. Default is the currently selected profile.
&online	true   <b>false</b> . Get the data from Invelos online database. Alias: &ol
&includepersonal	<b>true</b>   false. Include personal data. Alias &pers
&file	Full filename for download. If not specified then the result will not be downloaded as a file.
&raw	true   <b>false</b> . Supress HTML encapsulation. Defaul is <i>false</i> .

Examples:

- ?cmd="xml"
- ?cmd="xml"&upc="7333018013063"&locality="sweden"
- ?cmd="xml"&upc="7333018013063"&locality="sweden"&ol="true"
- ?cmd="xml"&pid="4942463602307.17"&ol="true"

**Get XML for a multiple profiles, based on an ID list. Alias &getxml**

&collection	bypid (or byupc). Alias &col
&online	true   <b>false</b> . Get the data from Invelos online database. Alias: &ol
&sync	<b>now</b>   later. If later is specified (asynchronous), udp messages are sent out for each 5% done until complete.
&includepersonal	<b>true</b>   false. Include personal data. Alias &pers
&file	Full filename for download. If not specified then the result will not be downloaded as a file.
&raw	true   <b>false</b> . Supress HTML encapsulation. Defaul is <i>false</i> .
&idlist	A comma separated list of IDs can be used to download multiple profiles at once: idlist expressed as CSV string or filepath.

Examples:

- ?cmd="xml"&col="byupc"&idlist="4942463602307.17, 027616771223.3"&ol="true"
- ?cmd="xml"&col="bypid"&idlist="4942463602307.17, 027616771223.3"&file=" c:

\users\jimmy\desktop\idlist.txt"

**Get collection XML from titles search (&collection="titles"). Alias &getxml**

&collection	titles. Alias &col
&online	true   <b>false</b> . Get the data from Invelos online database. Alias: &ol
&sync	<b>now</b>   later. If later is specified (asynchronous), udp messages are sent out for each 5% done until complete.
&includepersonal	<b>true</b>   false. Include personal data. Alias &pers
&file	Full filename for download. If not specified then the result will not be downloaded as a file.
&dvd	<b>true</b>   false. Include DVD, Online only.
&bluray	<b>true</b>   false. Include Blu-ray, Online only.
&hddvd	<b>true</b>   false. Include HDDVD, Online only.
&search	Title to search for.

&within	true   <b>false</b> . Search within the title.
&ignorecase	<b>true</b>   false. Ignore case. Alias &ignore.
&original	true   <b>false</b> . Search original title. Local only.
&sorttitle	true   <b>false</b> . Search sort title title. Local only.
&edition	true   <b>false</b> . Search edition. Local only.
&raw	true   <b>false</b> . Supress HTML encapsulation. Defaul is <i>false</i> .

Examples:

- ?cmd="xml"&col="titles"&search="Star Wars"&within="true"&ignorecase="true"
- ?cmd="xml"&col="titles"&search="Star Wars"&oline="true"&sync="later"

**To retrieve result when &sync="later" is used:**

?cmd="xml"&sync="cached"

Created with the Personal Edition of HelpNDoc: [Revolutionize Your Documentation Review with HelpNDoc's Project Analyzer](#)

## Parameter defaults

Parameter	Alias	Default (if applicable)
&birthyear	&by	0
&bluray		true
&creditphoto		main
&csvdelim		, (comma)
&data	&dbdata	
&deletecovers		false
&discID		
&drive		
&dvd		true
&edit		false
&edition		
&file		
&firstname	&fn	
&folder		
&form		main
&hasheader		true
&hddvd		true
&ignorecase	&ignore	true
&includepersonal	&pers	true
&item		
&keepoldprofileid		true
&lastname	&ln	
&locality	&loc	United States
&menu		collection
&menuitem	&mi	

Parameter	Alias	Default (if applicable)
&menupath	&mp	
&middlename	&mn	
&nomedia	&fastsearch	false
&online	&ol	false
&original		false
&pid		(taken from selected profile)
&raw		false
&reverselfn		false
&search		
&sorttitle		
&sync		now
&toexcel		false
&twofcode		
&udpon		false
&useby		true
&variants		
&view		
&within		true